



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/004,196

11/14/2001

Jose Fernandez

42390P10728

5794

8791

7590

05/11/2007

BLAKELY SOKOLOFF TAYLOR & ZAFMAN
12400 WILSHIRE BOULEVARD
SEVENTH FLOOR
LOS ANGELES, CA 90025-1030

EXAMINER

GUILL, RUSSELL L

ART UNIT

PAPER NUMBER

2123

MAIL DATE

DELIVERY MODE

05/11/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/004,196	FERNANDEZ, JOSE	
	Examiner	Art Unit	
	Russ Guill	2123	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 March 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5 and 7-49 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-23, 25-49 is/are rejected.
- 7) ☒ Claim(s) 25 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 20 December 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This action is in response to an Amendment filed March 16, 2007. No claims have been added or cancelled in this amendment. Claims 1 - 5 and 7 - 49 are pending. Claims 1 - 5 and 7 - 49 have been examined. Claims 1 - 5 and 7 - 49 have been rejected.
2. As previously recited, the Examiner would like to thank the Applicant for the well-presented amendment, which was useful in the examination process. The Examiner appreciates the effort to carefully analyze the Office Action and make appropriate arguments and amendments.

Response to Arguments

3. Regarding claim 36 objected to for minor informalities:
 - 3.1. Applicant's claim amendment overcomes the objection.
4. Regarding claims 1 - 8, 9 - 28, 36 - 42 and 43 - 49 rejected under 35 U.S.C. § 112:
 - 4.1. Applicant's amendments to the claims overcome the rejection.
5. Regarding claims 9 - 28, 29 - 35, 36 - 42, 43 and 45 - 49 rejected under 35 U.S.C. § 101:
 - 5.1. Regarding claims 9 and 36, Applicant's amendments to the claims overcome the rejections.
 - 5.2. Regarding claim 29, Applicant's arguments have been fully considered but are not persuasive, as follows. Accordingly, the rejection is maintained.

5.3. The Applicant argues:

5.3.1. Claim 1, for example, has been amended to recite that the actions occur at a running system. The claim also explains that the transformed persistence package is stored in a storage device of the running system. The transformation and storage provide tangible results sufficient to comply with Section 101. The same applies to claims 9, 29 and 37

5.3.1.1. The Examiner respectfully replies:

5.3.1.2. Claim 29 does not appear to be a running system. The claim appears to be directed to an apparatus comprising a storage device connected to software components. Although the claim contains a tangible element, there is no processor that would allow any functionality of the software to be realized.

6. Regarding claims 1 - 3, 7 - 13, 15 - 20 and 22 - 23 rejected under 35 U.S.C. § 103:

6.1. Applicant's arguments have been fully considered (page 10), and are persuasive. However, new rejections are made as described below.

7. Regarding remaining claims rejected under 35 U.S.C. § 103:

7.1. Applicant's arguments have been fully considered (page 11), and are persuasive. However, new rejections are made as described below.

Claim Objections

8. Claim 25 is objected to for the following informality: Claim 25 recites, "a transform that substantially maintains the model structure". The term "substantially" appears to be a relative term.

Claim Rejections - 35 USC § 101

9. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

9.1. Claims 29 - 35, 36 - 42, 43 and 45 - 49 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

a. Regarding claims 29 - 35, the recited apparatus appears to contain software, which appears to be an abstract idea. Therefore, to be statutory, the claim must be directed to a practical application having a concrete, useful and tangible result. The claims do not appear to produce a tangible result needed to support a practical application. In addition, the apparatus does not appear to have processor that is operationally coupled to the software to realize the functionality of the software, and therefore, the claim cannot have a tangible result. The claim appears to be directed to an apparatus comprising a storage device connected to software components. Although the claim contains a tangible element, there is no processor that would allow any functionality of the software to be realized.

b. Regarding claims 43 and 45 - 49, the recited article of manufacture appears to contain abstract operations such as establishing a storage format. Therefore, to be statutory, the claim must be directed to a practical application having a concrete, useful and tangible result. The claims do not appear to produce a tangible result needed to support a practical application.

Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

11. Claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manning (U.S. Patent Application Publication Number US 2002/0103829) in view of Morgenstern (U.S. Patent No. 5,970,490), further in view of Maimone (U.S. Patent Number 6,418,451).

11.1. As an initial comment, while not part of the rejection, the Examiner remarks that Maimone also appears to teach the essential features of the instant invention.

11.2. Regarding claim 1, Manning appears to teach:

11.2.1. receiving a persistence package at a running system (figure 3, item 100 - 102; please note that a DTD is a Document Type Definition that provides attributes for each element in the document, and indicates the relationship of the elements - please refer to paragraph [0004]; and paragraph [0028]; please note that the DTD is included with the received document) from one of a plurality of different software components (paragraph [0004] first and second sentences; it would have been obvious that the multiple data types recited, such as vector graphics and e-commerce transactions, were produced by different software components, wherein a software component is interpreted to include an application), the persistence package including persistent data and metadata (figure 3, item 100 - 102; please note that a

DTD is a Document Type Definition that provides attributes for each element in the document, and indicates the relationship of the elements – please refer to paragraph [0004]; and paragraph [0028]; please note that the DTD is included with the received document),
the software components having persistent data in different formats (paragraph [0004] first and second sentences; paraphrasing a definition of “format” from the IBM Dictionary of Computing, a “format” is a specified arrangement of fields; it would have been obvious that persistent data from vector graphics is in a different format than e-commerce transactions).

11.2.2. extracting persistent data and metadata from the persistence package (figure 3, items 114 – 128; and paragraphs [0028] and [0029]), the persistent data relating to diverse types of objects constructed at runtime of the software component and needed during more than one invocation of the software component (paragraph [0004]), the metadata describing the persistent data (paragraph [0004]).

11.2.3. establishing, based on the extracted metadata, a storage format for the persistent data (paragraph [0028]; paragraph [0041]; figure 3, elements 102 – 110).

11.2.4. applying the transform to the persistent data to format the persistent data without using the software component from which the persistence package was received (figure 3, element 124, since the accessed object is stored, it would have been obvious that the transform is applied; and paragraph [0029], since each object (e.g. attribute value or content) is stored in an element table, it would have been obvious that a transform is applied; please note that the specification recites, “Transforms establish a storage format and/or storage location for the persistent data.”) from the format of the software component into a storage format that is compatible with the receiving system and with a storage device of the running system independent of the software component (paragraph [0022], paragraphs [0027] –

[0029], and paragraph [0034]; it would have been obvious that the received data such as vector graphics and e-commerce transactions is being stored in a relational database, which is a storage format that is compatible with the receiving system and with a storage device independent of the software component).

11.2.5. storing the persistent data in the storage device in the storage format (paragraph [0029]; and figure 3, element 124).

11.2.6. Manning does not specifically teach (in bold italic underline):

11.2.6.1. software components having persistent data in different formats that are foreign to the running system.

11.2.6.2. the metadata describing the persistent data, and comprising, at least in part, a description of the format of the persistent data.

11.2.6.3. establishing, based on the extracted metadata, a transform for a storage format and a storage location for the persistent data.

11.2.7. Morgenstern appears to teach:

11.2.7.1. establishing, based on the extracted metadata, a transform for a storage format for persistent data (figure 2, elements 42, 46, 22, 32, 36, 23, 66; and column 8, lines 53 - 67, and column 9, lines 1 - 3, and column 7 lines 16 - 67, and column 8, lines 1 - 53).

11.2.8. Maimone appears to teach:

- 11.2.8.1. software components having persistent data in different formats that are foreign to the running system (figure 1, element 10; column 3, lines 5 - 20, and column 4, lines 24 - 45; it would have been obvious that the objects were in different formats that were foreign to the running system because as described in the specification (for example, figure 4), the running system is the persistent storage system, and the objects may not have a schema that stores the object, in which case, a schema is created).
- 11.2.8.2. the metadata describing the persistent data, and comprising, at least in part, a description of the format of the persistent data (figure 1, element 18, and column 3, lines 60 - 67, and column 4, lines 1 - 16; it would have been obvious that attribute type of element 18 was a description of persistent data).
- 11.2.8.3. establishing, based on the extracted metadata, a storage format and a storage location for the persistent data (column 4, lines 24 - 45; a schema describes a table, and a table is obviously a storage location for the persistent data).
- 11.2.9. The motivation to use the art of Morgenstern with the art of Manning would have been the several benefits recited in Morgenstern, including that self-description information simplifies the management of generated source code and the resulting compiled modules, which is especially useful in large systems (column 6, lines 33 - 37, lines 1 - 2, lines 9 - 12), and the advantage (column 46, lines 41 - 45) that the data transformation approach allows rules to be more declarative in nature, and also supports asynchronous processing of transformations, thereby being amenable to parallelization (column 46, lines 35 - 41), which would have been recognized as an advantage by the ordinary artisan.

11.2.10. The motivation to use the art of Maimone with the art of Manning would have been the benefit recited in Maimone that the invention improves the ability to persist objects of an object-oriented environment in a relational database (column 2, lines 24 - 27).

11.2.11. Therefore, as discussed above, it would have been obvious to the ordinary artisan to use the art of Morgenstern and the art of Maimone with the art of Manning to produce the claimed invention.

11.3. Regarding claim 2, Manning appears to teach using metadata passed from the persistence package to establish a storage location for the persistent data during the runtime of the system (paragraphs [0028] - [0029]; Since the Applicant's specification provides no detail on the meaning of "storage location", the term "storage location" is being given a broad reasonable interpretation to include database tables as a storage location).

11.4. Regarding claim 3, Manning appears to teach that the metadata comprises at least in part a description of a model structure of the persistent data (figure 3, item 102; please note that a DTD is a Document Type Definition that provides attributes for each element in the document, and indicates the relationship of the elements - please refer to paragraph [0004]).

11.5. Regarding claim 7, Manning appears to teach retrieving persistent data from storage using a transform during the runtime of the system (figure 4, all items; and paragraph [0030]).

11.6. Regarding claim 8, Manning appears to teach receiving persistent data compatible with at least one of any type of processor, any type of programming language, any type of operating system, and any type of architecture (paragraph [0021]).

11.7. Regarding claim 9, Manning appears to teach:

11.7.1. Almost all of claim 9 is taught as described in claim 1 above. The differences are taught below.

11.7.2. a data storage device (paragraph [0021]).

11.8. Regarding claim 10, Manning appears to teach the data storage device is external to a receiving system using the persistence engine (paragraph [0021]).

11.9. Regarding claim 11, Manning appears to teach a storing interface to store the persistent data using the storage format (paragraph [0027], second sentence).

11.10. Regarding claim 12, Manning appears to teach a retrieving interface to retrieve the persistent data for use by one of the receiving system and the software component, the software component comprising an application (figure 1, element 2; and paragraph [0011]; and paragraph [0027], second sentence; and paragraph [0030]).

11.10.1. Regarding (figure 1, element 2; and paragraph [0011]; and paragraph [0027], second sentence; and paragraph [0030]); it would have been obvious to the ordinary artisan that the received query is from one of a running system and a software component, the software component comprising an application.

11.11. Regarding claim 13, Manning appears to teach that the metadata comprises at least in part a description of the data model structure of the persistent data (figure 3, item 102; please note that a DTD is a Document Type Definition that provides attributes for each element in the document, and indicates the relationship of the elements – please refer to paragraph [0004]).

- 11.12. Regarding claim 15, Manning appears to teach that the persistence engine receives a persistence package comprising the metadata and the persistent data (figure 3, item 100 - 102; please note that a DTD is a Document Type Definition that provides attributes for each element in the document, and indicates the relationship of the elements - please refer to paragraph [0004]; and paragraph [0028])
- 11.13. Regarding claim 16, Manning appears to teach that the persistence engine receives persistent data structured using any data model from a source comprising at least one of any type of processor, any type of operating system, any type of programming language, and any type of architecture (figure 3; all items).
- 11.13.1. Regarding (figure 3; all items); it was inherent that any type of data model can be expressed in an XML document.
- 11.14. Regarding claim 17, Manning appears to teach a metadata engine having a metadata reader (paragraph [0027] - please note that it was inherent that the XML document manager includes a metadata reader) and a metadata filter (paragraph [0027] - please note that the XML parser was a metadata filter).
- 11.15. Regarding claim 18, Manning appears to teach that the metadata filter interprets the metadata (paragraph [0027]).
- 11.16. Regarding claim 19, Manning appears to teach a transform engine having a set of transforms, a transform selector, and a transform generator (figure 3, items 102 - 110; and paragraph [0028]).
- 11.17. Regarding claim 20, Manning appears to teach that a transform establishes at least one of the storage format and the storage location to store the persistent data in the data storage device (paragraphs [0028] and [0029]).

11.18. Regarding claim 22, Manning appears to teach that a transform selector selects a transform based on filtered metadata (figure 3, items 100 - 102; and paragraphs [0027] and [0028]).

11.19. Regarding claim 23, Manning appears to teach that a transform selector requests a transform from the transform generator based on filtered metadata (figure 3, items 100 - 110; and paragraphs [0027] and [0028]).

=====

12. Claims 4 - 5 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Morgenstern and Maimone as applied to claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above, further in view of XML ("Extensible Markup Language (XML) 1.0"; W3C Recommendation 10-Feb-98, 1998).

12.1. Manning as modified by Morgenstern and Maimone teach the method and apparatus of a persistence engine as recited in claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above.

12.2. Claim 4 is a dependent claim of claim 3, and thereby inherits all of the rejected limitations of claim 3.

12.3. Claim 5 is a dependent claim of claim 4, and thereby inherits all of the rejected limitations of claim 4.

12.4. Claim 14 is a dependent claim of claim 13, and thereby inherits all of the rejected limitations of claim 13.

- 12.5. The art of Manning as modified by Morgenstern and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Manning, Title and Abstract; and paragraph [0020] regarding the XML document).
- 12.6. The art of XML is directed toward describing the Extensible Markup Language (XML) (Abstract).
- 12.7. Regarding claim 5, Manning appears to teach that extracting persistent data and metadata from a persistence package comprises using a filter (paragraph [0027] - please note that the XML parser is a filter; and figure 3, all items; and paragraphs [0028] and [0029]).
- 12.8. Regarding claim 4, Manning as modified by Morgenstern and Maimone does not specifically teach that the metadata conforms to a metadata template comprising rules for describing the model structure.
- 12.9. Regarding claim 14, Manning as modified by Morgenstern and Maimone does not specifically teach a metadata template to format the metadata for readable reception by the persistence engine.
- 12.10. Regarding claim 4, XML appears to teach that the metadata conforms to a metadata template comprising rules for describing the model structure (page 2, section 2. Documents, first sentence; and page 3, section 2.1 Well-Formed XML Documents).
- 12.10.1. Regarding (page 2, section 2. Documents, first sentence; and page 3, section 2.1 Well-Formed XML Documents); the reference XML describes the rules that the metadata conforms to.

12.11. Regarding claim 14, XML appears to teach a metadata template to format the metadata for readable reception by the persistence engine (page 2, section 2. Documents, first sentence; and page 3, section 2.1 Well-Formed XML Documents).

12.11.1. Regarding (page 2, section 2. Documents, first sentence; and page 3, section 2.1 Well-Formed XML Documents); the reference XML describes the rules that the metadata conforms to, and specifically the production in section 2.1 is a metadata template.

12.12. The art of XML and the art of Manning as modified by Morgenstern and Maimone are analogous art because they both contain the art of interpreting XML documents.

12.13. The motivation to combine the art of XML with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the need in Manning to interpret XML documents, and the rules given in XML to form valid XML documents. Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of XML with the art of Manning as modified by Morgenstern and Maimone to produce the claimed invention.

13. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Morgenstern and Maimone as applied to claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above, further in view of DeltaXML (web page for DeltaXML.com from September 2001 using www.archive.org at web.archive.org/web/20011021144026/www.deltaxml.com/prod-xmlschema-1000.html).

13.1. Manning as modified by Morgenstern and Maimone teaches the persistence engine as recited in claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above.

13.2. Claim 21 is a dependent claim of claim 19, and thereby inherits all of the rejected limitations of claim 19.

13.3. The art of Manning as modified by Morgenstern and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Title and Abstract; and paragraph [0020] regarding the XML document).

13.4. The art of DeltaXML is directed toward comparing XML schema DTD files to determine differences (page 1, box labeled Description).

13.5. Regarding claim 21, Manning as modified by Morgenstern and Maimone does not specifically teach that the transform selector comprises a data model comparator.

13.6. DeltaXML teaches a data model comparator (page 1, box labeled Description), which also calculates the data model variance.

13.7. The art of DeltaXML and the art of Manning as modified by Morgenstern and Maimone are analogous art because they both contain the problem of determining whether a pair of DTD's are different (Manning, lines 14 - 17 of paragraph [0028]).

13.8. The motivation to use the art of DeltaXML with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the need recited in Manning to determine whether documents have different DTD's (Manning, lines 14 - 17 of paragraph [0028]). Therefore, as discussed above, it would have been obvious to use the art of DeltaXML with the art of Manning and Morgenstern and Maimone to produce the claimed invention.

14. Claim 25 is rejected under 35 U.S.C. 103(a) as being unpatentable over Manning in view of

Morgenstern and Maimone as applied to claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above, further in view of Kanne (Kanne, Carl-Christian; Moerkotte, Guido; "Efficient storage of XML data", 1999, Technical Report 8/99, University of Mannheim).

14.1. Manning as modified by Morgenstern and Maimone teaches the persistence engine as recited in claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above.

14.2. Claim 25 is a dependent claim of claim 23, and thereby inherits all of the rejected limitations of claim 23.

14.3. The art of Manning as modified by Morgenstern and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Manning, Title and Abstract; and paragraph [0020] regarding the XML document).

14.4. The art of Kanne is directed toward efficient storage of XML data (Title).

14.5. Manning as modified by Morgenstern and Maimone does not specifically teach that the transform generator produces a transform that substantially maintains the model structure of the persistent data received by the receiving system.

14.6. Kanne appears to teach that the transform generator produces a transform that substantially maintains the model structure of the persistent data received by the receiving system (pages 4 - 5, section 2.2 Logical Model - please note the use of a tree structure for XML. XML was inherently tree structured.).

14.7. The art of Kanne and the art of Manning as modified by Morgenstern and Maimone are analogous art because they are both directed to the storage of XML data.

- 14.8. The motivation to use the art of Kanne with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the benefit recited in Kanne of describing a method to dynamically maintain efficient physical storage for large tree structured objects (page 20, section 6 Conclusion and Future Work). Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of Kanne with the art of Manning as modified by Morgenstern and Maimone to produce the claimed invention.
15. Claim 26 is rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Morgenstern and Maimone as applied to claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above, in view of Schoning (Schoning, Harald; "Tamino - a DBMS Designed for XML", 2001 Proceedings 17th International Conference on Data Engineering, 2-6 April 2001).
- 15.1. Manning as modified by Morgenstern and Maimone teaches the persistence engine as recited in claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above.
- 15.2. Claim 26 is a dependent claim of claim 23, and thereby inherits all of the rejected limitations of claim 23.
- 15.3. The art of Manning as modified by Morgenstern and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Title and Abstract; and paragraph [0020] regarding the XML document).
- 15.4. The art of Schoning is directed toward a database management system designed for XML (Title).

Art Unit: 2123

- 15.5. Manning as modified by Morgenstern and Maimone does not specifically teach that the transform generator produces a transform to remodel the persistent data to maximize efficient retrieval for an application.
- 15.6. Regarding claim 26, Schoning appears to teach that the transform generator produces a transform to remodel the persistent data to maximize efficient retrieval for an application (page 152, section labeled "Indexing and storage methods").
- 15.6.1. Regarding (page 152, section labeled "Indexing and storage methods"); it would have been obvious to design the transform generator to produce a transform to remodel the persistent data to maximize efficient retrieval for an application.
- 15.7. The art of Manning as modified by Morgenstern and Maimone and the art of Schoning are analogous art because they are both directed to the art of XML databases.
- 15.8. The motivation to use the art of Schoning with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the statement recited in Schoning that indexes are indispensable in database systems because otherwise large amounts of data could not be efficiently queried (page 152, section labeled "Indexing and storage methods"). Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of Schoning with the art of Manning as modified by Morgenstern and Maimone to produce the claimed invention.
16. Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Morgenstern and Maimone as applied to claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above, in view of Ives (Ives, Zachary G.; Florescu, Daniela; Friedman, Marc; Levy, Alon; Weld, Daniel S.; "An Adaptive Query Execution System for Data Integration", 1999, SIGMOD 1999).

- 16.1. Manning as modified by Morgenstern teaches the apparatus of a persistence engine as recited in claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above.
- 16.2. Claim 27 is a dependent claim of claim 23, and thereby inherits all of the rejected limitations of claim 23.
- 16.3. The art of Manning as modified by Morgenstern and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Title and Abstract; and paragraph [0020] regarding the XML document).
- 16.4. The art of Ives is directed toward an adaptive query execution system for data integration (Title).
- 16.5. Regarding claim 27, Manning as modified by Morgenstern and Maimone does not specifically teach that the transform generator uses iterative read-write trials to produce a transform to remodel the persistent data to maximize storage and/or retrieval speed.
- 16.6. Regarding claim 27, Ives appears to teach that the transform generator uses iterative read-write trials to produce a transform to remodel the persistent data to maximize storage and/or retrieval speed (page 304, first paragraph, the sentence that starts with "The query execution . . .
".
- 16.6.1. Regarding (page 304, first paragraph, the sentence that starts with "The query execution . . ."); it would have been obvious to design the transform generator to use iterative read-write trials to produce a transform to remodel the persistent data to maximize storage and/or retrieval speed.

16.7. The art of Manning as modified by Morgenstern and Maimone and the art of Ives are analogous art because they are both contain the problem of data queries (Manning, paragraph [0030]) and Ives (Title).

16.8. The motivation to use the art of Ives with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the statement recited in Ives that it is important to optimize the time to initial answers to a query (page 300, left-side column, the paragraph that starts with "Since data integration . . ."). Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of Ives with the art of Manning as modified by Morgenstern and Maimone to produce the claimed invention.

17. Claims 24 and 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Morgenstern and Maimone as applied to claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above, further in view of Deutsch (Deutsch, Alin; Fernandez, Mary; Suciu, Dan; "Storing Semistructured Data with STORED", 1999, Proceedings of the 1999 ACM SIGMOD international conference on management of data).

17.1. Manning as modified by Morgenstern and Maimone teaches the persistence engine as recited in claims 1 - 3, 7 - 13, 15 - 20, and 22 - 23 above.

17.2. The art of Manning as modified by Morgenstern and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Manning, Title and Abstract; and paragraph [0020] regarding the XML document).

17.3. The art of Deutsch is directed toward a database for semistructured data, including XML (Abstract).

- 17.4. Regarding claim 24, Manning as modified by Morgenstern and Maimone does not specifically teach that the transform generator produces a transform that remodels the persistent data to approximate as closely as possible a preexisting transform from the set of transforms.
- 17.5. Regarding claim 28, Manning as modified by Morgenstern and Maimone does not specifically teach that the transform generator produces a transform to remodel the persistent data to maximize data compression.
- 17.6. Regarding claim 24, Deutsch appears to teach that the transform generator produces a transform that remodels the persistent data to approximate as closely as possible a preexisting transform from the set of transforms (first page, right-side column, fourth paragraph that starts with "In the first application . . ."; second page, left-side column, second paragraph, and third paragraph, and fourth paragraph, bullet points; however, although not part of the rejection, for corroboration, also see Maimone figure 2, elements 28, 30, 32).
- 17.7. Regarding claim 28, Deutsch appears to teach that the transform generator produces a transform to remodel the persistent data to maximize data compression (first page, right-side column, fourth paragraph that starts with "In the first application . . ."; second page, left-side column, first paragraph, the sentence that starts with, "The meaning of "good" depends on the application, but usually includes minimizing disk space . . ."; and second page, left-side column, second paragraph and third paragraph and fourth paragraph).
- 17.7.1. Regarding (first page, right-side column, fourth paragraph that starts with "In the first application . . ."; second page, left-side column, first paragraph, the sentence that starts with, "The meaning of "good" depends on the application, but usually includes minimizing disk space . . ."; and second page, left-side column, second paragraph and third paragraph

and fourth paragraph); it would have been obvious to design the transform generator to produce a transform to remodel the persistent data to maximize data compression.

17.8. The art of Manning as modified by Morgenstern and Maimone, and the art of Deutsch, are analogous art because they both contain the problem storing XML data in a database.

17.9. The motivation to use the art of Deutsch with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the requirement recited in Deutsch of the need to generate a good relational schema (first page, right-side column, last sentence, continuing on the second page). Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of Deutsch with the art of Manning as modified by Morgenstern and Maimone to produce the claimed invention.

18. Claims 29 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manning (U.S. Patent Application Publication Number US 2002/0103829) in view of Morgenstern (U.S. Patent No. 5,970,490), further in view of Maimone (U.S. Patent Number 6,418,451).

18.1. Regarding claim 29, Manning appears to teach:

18.1.1. a communications interface (paragraph [0038], "a file server providing access to the programs via a network transmission line, wireless transmission media, signals propagating through space, etc.");

18.1.2. a data model description receiver to receive a data model description (figure 3, item 100 - 102; please note that a DTD is a Document Type Definition that provides attributes for each element in the document, and indicates the relationship of the elements - please refer to paragraph [0004]; and paragraph [0028]; please note that the DTD is included with the

received document; it would have been obvious that persistent data from vector graphics had a different data model than e-commerce transactions) from one of a plurality of different software components (paragraph [0004] first and second sentences; it would have been obvious that the multiple data types recited, such as vector graphics and e-commerce transactions, were produced by different software components, wherein a software component is interpreted to include an application), the software components having persistent data in accordance with different data models (paragraph [0004] first and second sentences; it would have been obvious that persistent data from vector graphics had a different data model than e-commerce transactions).

18.1.3. a set of transforms (paragraph [0022]; it would have been obvious that a relational database has schemas, which are a set of transforms).

18.1.4. a transform generator having an assembler to produce a transform based on the data model description independent of the software component from which the data model description was received (figure 3, elements 102 - 110; and paragraph [0041]; and paragraphs [0028] and [0029]; since database schemas are produced during the runtime, it would have been obvious that there is a transform generator having an assembler).

18.1.5. a storage device (paragraph [0038]);

18.1.6. a transform engine to apply a transform to format persistent data for storage from the format of the software component into a storage format that is compatible with a storage device independent of the software component (figure 3, element 124, since the accessed object is stored, it would have been obvious that a transform is applied; and paragraph [0029], since each object (e.g. attribute value or content) is stored in an element table, it would have been obvious that a transform is applied to format the persistent data for

storage; also paragraph [0022], paragraphs [0027] - [0029], and paragraph [0034]; it would have been obvious that the persistent data such as vector graphics and e-commerce transactions is being stored in a relational database, which is a storage format that is compatible with the receiving system and with a storage device independent of the software component).

18.1.7. a storing interface to store the formatted persistent data in the storage device (paragraph [0029]; and figure 3, element 124).

18.1.8. Manning does not specifically teach (in bold italic underline):

18.1.9. a data model description from one of a plurality of different software components that are foreign to the apparatus;

18.1.10. the data model descriptions describing, at least in part a format of data associated with the models;

18.1.11. a data model comparator to produce a comparison independent of the software component from which the data model description is received between the data model description and a data model in a transform in the set of transforms.

18.1.12. a transform generator having an assembler to produce a transform based on the data model description and the comparison independent of the software component from which the data model description was received.

18.1.13. the transform establishing a storage format and a storage location for data associated with the model;

18.1.14. Morgenstern appears to teach:

18.1.15. a data model comparator to produce a comparison independent of the software component from which the data model description is received between the data model description and a data model in a transform in a set of transforms (figure 2, elements 22, 24, 32, 52, 36, 56, 42, 30; since the elements compare the schemas for different source and target data sources, it would have been obvious that element 30 is a data model comparator to produce a comparison independent of the software component from which the data model description is received between the data model description and a data model in a transform in a set of transforms).

18.1.16. a transform generator, having an assembler to produce a transform based on the data model description and the comparison independent of the software component from which the data model description was received (figure 2, elements 42, 22, 24, 32, 52, 36, 56, 30).

18.1.17. Maimone appears to teach:

18.1.18. a data model description from one of a plurality of different software components that are foreign to the apparatus (figure 1, element 10; column 3, lines 5 – 20, and column 4, lines 24 - 45; it would have been obvious that the objects were in different formats that were foreign to the running system because as described in the specification (for example, figure 4), the running system is the persistent storage system, and the objects may not have a schema that stores the object, in which case, a schema is created).

18.1.19. the data model descriptions describing, at least in part a format of data associated with the models (figure 1, element 18, and column 3, lines 60 – 67, and column 4, lines 1 – 16; it would have been obvious that attribute type of element 18 was a description of the format of data).

18.1.20. the transform establishing a storage format and a storage location for data associated with the model (column 4, lines 24 - 45; column 2, lines 1 - 7; a schema describes a table and columns in the table, and a table is obviously a storage location for the persistent data, and the column descriptions are obviously a storage format).

18.1.21. Therefore, as discussed above, it would have been obvious to the ordinary artisan to use the art of Morgenstern and the art of Maimone with the art of Manning to produce the claimed invention.

18.2. Regarding claim 36, Manning appears to teach:

18.2.1. receiving a data model description at a running system (figure 3, item 100 - 102; please note that a DTD is a Document Type Definition that provides attributes for each element in the document, and indicates the relationship of the elements - please refer to paragraph [0004]; and paragraph [0028]; please note that the DTD is included with the received document) from one of a plurality of different software components (paragraph [0004] first and second sentences; it would have been obvious that the multiple data types recited, such as vector graphics and e-commerce transactions, were produced by different software components, wherein a software component is interpreted to include an application), the software components having persistent data in accordance with different data models (paragraph [0004] first and second sentences; it would have been obvious that persistent data from vector graphics is in a different data model than e-commerce transactions), the persistent data relating to diverse types of objects (paragraph [0004]).

18.2.2. comparing the data model description to a preexisting data model independent of the software component from which the data model description is received (figure 3, items 100 - 102; and paragraph [0028]).

18.2.2.1. Regarding (figure 3, items 100 - 102; and paragraph [0028]); it would have been obvious that the data model description is compared to a preexisting data model since it is determined whether there are tables for the received DTD.

18.2.3. assembling a transform at the running system independent of the software component from which the data model description is received based on the data model description to establish a storage format for persistent data during runtime of the system (paragraph [0028]; paragraph [0041]; figure 3, elements 102 - 110).

18.2.4. applying a transform to format persistent data for storage from the format of the software component into a storage format that is compatible with a storage device independent of the software component (figure 3, element 124, since the accessed object is stored, it would have been obvious that a transform is applied; and paragraph [0029], since each object (e.g. attribute value or content) is stored in an element table, it would have been obvious that a transform is applied; also paragraph [0022], paragraphs [0027] - [0029], and paragraph [0034]; it would have been obvious that the persistent data such as vector graphics and e-commerce transactions is being stored in a relational database, which is a storage format that is compatible with the receiving system and with a storage device independent of the software component);

18.2.5. storing the formatted persistent data at the storage device (paragraph [0029]; and figure 3, element 124).

- 18.3. Manning does not specifically teach (in bold italic underline):
- 18.4. receiving a data model description at a running system from one of a plurality of different software components that are foreign to the running system;
- 18.5. the data model description describing the persistent data, and comprising, at least in part, a description of the format of the persistent data;
- 18.6. assembling a transform based on the data model description and the comparison to establish a storage format for persistent data.
- 18.7. Morgenstern appears to teach:
- 18.8. assembling a transform based on the comparison to establish a storage format for persistent data (figure 2, elements 22, 24, 32, 52, 36, 56, 42, 30; since the elements compare the schemas for different source and target data sources, it would have been obvious that transform is assembled based on a comparison).
- 18.9. Maimone appears to teach:
- 18.10. receiving a data model description at a running system from one of a plurality of different software components that are foreign to the running system (figure 1, element 10; column 3, lines 5 - 20, and column 4, lines 24 - 45; it would have been obvious that the objects were in different formats that were foreign to the running system because as described in the specification (for example, figure 4), the running system is the persistent storage system, and the objects may not have a schema that stores the object, in which case, a schema is created);
- 18.11. the data model description describing the persistent data, and comprising, at least in part, a description of the format of the persistent data (figure 1, element 18, and column 3, lines 60 - 67,

and column 4, lines 1 - 16; it would have been obvious that attribute type of element 18 was a description of the format of persistent data);

18.12. The motivation to use the art of Morgenstern with the art of Manning would have been the several benefits recited in Morgenstern, including that self-description information simplifies the management of generated source code and the resulting compiled modules, which is especially useful in large systems (column 6, lines 33 - 37, lines 1 - 2, lines 9 - 12), and the advantage (column 46, lines 41 - 45) that the data transformation approach allows rules to be more declarative in nature, and also supports asynchronous processing of transformations, thereby being amenable to parallelization (column 46, lines 35 - 41), which would have been recognized as an advantage by the ordinary artisan.

18.13. The motivation to use the art of Maimone with the art of Manning would have been the benefit recited in Maimone that the invention improves the ability to persist objects of an object-oriented environment in a relational database (column 2, lines 24 - 27).

18.14. Therefore, as discussed above, it would have been obvious to the ordinary artisan to use the art of Morgenstern and the art of Maimone with the art of Manning to produce the claimed invention.

19. Claim 30 is rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Morgenstern and Maimone as applied to claims 29 and 36 above, further in view of DeltaXML (web page for DeltaXML.com from September 2001 using www.archive.org at web.archive.org/web/20011021144026/www.deltaxml.com/prod-xmlschema-1000.html).

- 19.1. Manning as modified by Morgenstern and Maimone teaches the data model receiver as recited in claims 29 and 36 above.
- 19.2. Claim 30 is a dependent claim of claim 29, and thereby inherits all of the rejected limitations of claim 29.
- 19.3. The art of Manning as modified by Morgenstern and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Manning, Title and Abstract; and paragraph [0020] regarding the XML document).
- 19.4. The art of DeltaXML is directed toward comparing XML schema DTD files to determine differences (page 1, box labeled Description).
- 19.5. Regarding claim 30, Manning appears to teach a data model parser coupled to the assembler (figure 3, elements 102 - 110; and paragraphs [0027], [0028]).
- 19.6. Regarding claim 30, Manning as modified by Morgenstern and Maimone does not specifically teach a data model variance calculator coupled to the assembler.
- 19.7. DeltaXML teaches a data model comparator (page 1, box labeled Description), which also calculates the data model variance.
- 19.8. The art of DeltaXML and the art of Manning as modified by Morgenstern and Maimone are analogous art because they both contain the problem of determining whether a pair of DTD's are different (Manning, lines 14 - 17 of paragraph [0028]).
- 19.9. The motivation to use the art of DeltaXML with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the need recited in Manning to determine whether documents have different DTD's (Manning, lines 14 - 17 of paragraph

[0028]). Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of DeltaXML with the art of Manning as modified by Morgenstern and Maimone to produce the claimed invention.

20. Claims 31, 37 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Morgenstern as applied to claims 29 and 36 above, further in view of Nestorov (Nestorov, Svetlozar; Abiteboul, Serge; Motwani, Rajeev; "Extracting Schema from Semistructured Data", 1998, Proceedings of the 1998 ACM SIGMOD international conference on Management of data).

20.1. Manning as modified by Morgenstern and Maimone teaches the data model receiver as recited in claims 29 and 36 above.

20.2. Claim 31 is a dependent claim of claim 29, and thereby inherits all of the rejected limitations of claim 29.

20.3. Claim 37 is a dependent claim of claim 36, and thereby inherits all of the rejected limitations of claim 36.

20.4. Claim 38 is a dependent claim of claim 36, and thereby inherits all of the rejected limitations of claim 36.

20.5. The art of Manning as modified by Morgenstern and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Title and Abstract; and paragraph [0020] regarding the XML document).

- 20.6. The art of Nestorov is directed toward extracting a schema (i.e. data model) from semistructured data (e.g. XML data) (Title and Abstract).
- 20.7. Regarding claim 31, Manning appears to teach a data model parser coupled to the assembler (figure 3, elements 102 - 110; and paragraphs [0027], [0028]).
- 20.8. Regarding claim 31, Manning as modified by Morgenstern and Maimone does not specifically teach a data model approximator coupled to the assembler.
- 20.9. Regarding claim 37, Manning as modified by Morgenstern and Maimone does not specifically teach that assembling a transform includes measuring a variance between the data model description and a preexisting data model.
- 20.10. Regarding claim 38, Manning as modified by Morgenstern and Maimone does not specifically teach that assembling a transform includes approximating a preexisting data model.
- 20.11. Regarding claim 31, Nestorov teaches a data model approximator (page 1, Abstract; and page 6, section 3 Method Summary, first sentence).
- 20.12. Regarding claim 37, Nestorov teaches that assembling a transform includes measuring a variance between the data model description and a preexisting data model (page 8 - 10, section 5.2 Distance function between types).
- 20.12.1. Regarding (page 8 - 10, section 5.2 Distance function between types); it would have been obvious that assembling a transform includes measuring a variance between the data model description and a preexisting data model.
- 20.13. Regarding claim 38, Nestorov teaches that assembling a transform includes approximating a preexisting data model (page 1, Abstract; and page 6, section 3 Method Summary, first sentence).

20.13.1. Regarding (page 1, Abstract; and page 6, section 3 Method Summary, first sentence); it would have been obvious that assembling a transform includes approximating a preexisting data model.

20.14. The art of Nestorov and the art of Manning as modified by Morgenstern are analogous art because they both contain the problem of determining the data model of semistructured data.

20.15. The motivation to use the art of Nestorov with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the benefit recited in Nestorov of determining the data model for semistructured data where the data model is implicit is the data (Abstract). Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of Nestorov with the art of Manning as modified by Morgenstern and Maimone to produce the claimed invention.

21. Claims 34 and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Morgenstern and Maimone as applied to claims 29 and 36 above, further in view of Deutsch (Deutsch, Alin; Fernandez, Mary; Suciu, Dan; "Storing Semistructured Data with STORED", 1999, Proceedings of the 1999 ACM SIGMOD international conference on management of data).

21.1. Manning as modified by Morgenstern and Maimone teaches the data model receiver as recited in claims 29 and 36 above.

21.2. Regarding claim 34, Manning appears to teach a data model parser coupled to the assembler (figure 3, elements 102 - 110; and paragraphs [0027], [0028]).

Art Unit: 2123

- 21.3. Regarding claim 34, Manning as modified by Morgenstern and Maimone does not specifically teach a data compression maximizer coupled to the assembler.
- 21.4. Regarding claim 41, Manning as modified by Morgenstern and Maimone does not specifically teach that assembling a transform includes maximizing data compression.
- 21.5. Regarding claim 34, Deutsch appears to teach a data compression maximizer (second page, left-side column, first paragraph, the sentence that starts with, "The meaning of "good" depends on the application, but usually includes minimizing disk space . . . ").
space . . . "); it would have been obvious to use a data compression maximizer.
- 21.5.1. Regarding (second page, left-side column, first paragraph, the sentence that starts with, "The meaning of "good" depends on the application, but usually includes minimizing disk space . . . "); it would have been obvious to use a data compression maximizer.
- 21.6. Regarding claim 41, Deutsch appears to teach that assembling a transform includes maximizing data compression (second page, left-side column, first paragraph, the sentence that starts with, "The meaning of "good" depends on the application, but usually includes minimizing disk space . . . ").
space . . . ").
- 21.6.1. Regarding (second page, left-side column, first paragraph, the sentence that starts with, "The meaning of "good" depends on the application, but usually includes minimizing disk space . . . "); it would have been obvious that assembling a transform includes maximizing data compression.
- 21.7. The art of Manning as modified by Morgenstern and Maimone, and the art of Deutsch are analogous art because they both contain the problem storing XML data in a database.
- 21.8. The motivation to use the art of Deutsch with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the requirement recited in Deutsch of the need to

generate a good relational schema (first page, right-side column, last sentence, continuing on the second page).

21.9. Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of Deutsch with the art of Manning as modified by Morgenstern and Maimone to produce the claimed invention.

22. Claim 35 is rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Morgenstern and Maimone as applied to claims 29 and 36 above, further in view of Mani (U.S. Patent 6,654,734 B1).

22.1. Manning as modified by Morgenstern and Maimone teaches the data model description receiver as recited in claims 29 and 36 above.

22.2. Claim 35 is a dependent claim of claim 29, and thereby inherits all of the rejected limitations of claim 29.

22.3. The art of Manning as modified by Morgenstern and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Title and Abstract; and paragraph [0020] regarding the XML document).

22.4. The art of Mani is directed toward a method for query optimization for XML document databases (Title and Abstract).

22.5. Manning appears to teach a data model parser coupled to the assembler (figure 3, elements 102 - 110; and paragraphs [0027], [0028]).

22.6. Manning as modified by Morgenstern and Maimone does not specifically teach an indexing estimator coupled to the assembler.

22.7. Mani appears to teach an indexing estimator (column 11, lines 54 -57, the referenced index access cost estimator).

22.7.1. Regarding (column 11, lines 54 -57, the referenced index access cost estimator); it would have been obvious to use an indexing estimator.

22.8. The art of Mani and the art of Manning as modified by Morgenstern and Maimone are analogous art because they both contain the problem of queries for an XML database (Mani, Title) and (Manning, paragraph [0030]).

22.9. The motivation to use the art of Mani with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the benefit recited in Mani of query optimization (Title and Abstract), which would have been recognized by the ordinary artisan as saving time in a query.

22.10. Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of Mani with the art of Manning as modified by Morgenstern and Maimone to produce the claimed invention.

23. Claims 32, 33, 39 and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Morgenstern and Maimone as applied to claims 29 and 36 above, further in view of Ives

(Ives, Zachary G.; Florescu, Daniela; Friedman, Marc; Levy, Alon; Weld, Daniel S.; "An Adaptive Query Execution System for Data Integration", 1999, SIGMOD 1999).

23.1. Manning as modified by Morgenstern and Maimone teaches a data model description receiver as recited in claims 29 and 36 above.

23.2. Claim 32 is a dependent claim of claim 29, and thereby inherits all of the rejected limitations of claim 29.

23.3. Claim 33 is a dependent claim of claim 32, and thereby inherits all of the rejected limitations of claim 32.

23.4. Claim 39 is a dependent claim of claim 36, and thereby inherits all of the rejected limitations of claim 36.

23.5. Claim 40 is a dependent claim of claim 36, and thereby inherits all of the rejected limitations of claim 36.

23.6. The art of Manning as modified by Morgenstern and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Title and Abstract; and paragraph [0020] regarding the XML document).

23.7. The art of Ives is directed toward an adaptive query execution system for data integration (Title).

23.8. Regarding claims 32, Manning appears to teach a data model parser coupled to the assembler (figure 3, elements 102 - 110; and paragraphs [0027], [0028]).

23.9. Regarding claim 32, Manning as modified by Morgenstern and Maimone does not specifically teach an efficient storage/retrieval speed maximizer coupled to the assembler.

23.10. Regarding claim 33, Manning as modified by Morgenstern and Maimone does not specifically teach an efficient storage/retrieval speed maximizer comprising a read/write iterator.

23.11. Regarding claim 39, Manning as modified by Morgenstern and Maimone does not specifically teach that assembling a transform includes maximizing data storage speed and/or data retrieval speed.

23.12. Regarding claim 40, Manning as modified by Morgenstern and Maimone does not specifically teach that maximizing speed includes iteratively performing data read/write trials and selecting the fastest trial.

23.13. Regarding claim 32, Ives appears to teach an efficient storage/retrieval speed maximizer (page 304, first paragraph, the sentence that starts with "The query execution . . . ").

23.13.1. Regarding (page 304, first paragraph, the sentence that starts with "The query execution . . . "); it would have been obvious to use an efficient storage/retrieval speed maximizer.

23.14. Regarding claim 33, Ives appears to teach an efficient storage/retrieval speed maximizer comprising a read/write iterator (page 304, first paragraph, the sentence that starts with "The query execution . . . ").

23.14.1. Regarding (page 304, first paragraph, the sentence that starts with "The query execution . . . "); it would have been obvious to use an efficient storage/retrieval speed maximizer comprising a read/write iterator.

23.15. Regarding claim 39, Ives appears to teach that assembling a transform includes maximizing data storage speed and/or data retrieval speed (page 304, first paragraph, the sentence that starts with "The query execution . . . ").

23.15.1. Regarding (page 304, first paragraph, the sentence that starts with "The query execution . . . "); it would have been obvious that assembling a transform includes maximizing data storage speed and/or data retrieval speed.

23.16. Regarding claim 40, Manning appears to teach that maximizing speed includes iteratively performing data read/write trials and selecting the fastest trial (page 304, first paragraph, the sentence that starts with "The query execution . . . ").

23.16.1. Regarding (page 304, first paragraph, the sentence that starts with "The query execution . . . "); it would have been obvious that maximizing speed includes iteratively performing data read/write trials and selecting the fastest trial.

23.17. The art of Manning as modified by Morgenstern and Maimone, and the art of Ives are analogous art because they are both contain the problem of data queries (Manning, paragraph [0030]) and Ives (Title).

23.18. The motivation to use the art of Ives with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the statement recited in Ives that it is important to optimize the time to initial answers to a query (page 300, left-side column, the paragraph that starts with "Since data integration . . . "). Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of Ives with the art of Manning as modified by Morgenstern to produce the claimed invention.

Art Unit: 2123

24. Claim 42 is rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Morgenstern as applied to claims 29 and 36 above, further in view of Schoning (Schoning, Harald; "Tamino - a DBMS Designed for XML", 2001 Proceedings 17th International Conference on Data Engineering, 2-6 April 2001).
- 24.1. Manning as modified by Morgenstern and Maimone teaches receiving a data model description as recited in claims 29, 34, 36 and 41 above.
- 24.2. Claim 42 is a dependent claim of claim 36, and thereby inherits all of the rejected limitations of claim 36.
- 24.3. The art of Manning as modified by Morgenstern and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Manning, Title and Abstract; and paragraph [0020] regarding the XML document).
- 24.4. The art of Schoning is directed toward a database management system designed for XML (Title).
- 24.5. Manning as modified by Morgenstern and Maimone does not specifically teach that the transform generator produces a transform to remodel the persistent data to maximize efficient retrieval for an application.
- 24.6. Regarding claim 42, Schoning appears to teach that assembling a transform includes optimizing efficient indexing for the persistent data (page 152, section labeled "Indexing and storage methods").

Art Unit: 2123

24.6.1. Regarding (page 152, section labeled "Indexing and storage methods"); it would have been obvious that assembling a transform includes optimizing efficient indexing for the persistent data.

24.7. The art of Manning as modified by Morgenstern and Maimone, and the art of Schoning are analogous art because they are both directed to the art of XML databases.

24.8. The motivation to use the art of Schoning with the art of Manning as modified by Morgenstern and Maimone would have been obvious given the statement recited in Schoning that indexes are indispensable in database systems because otherwise large amounts of data could not be efficiently queried (page 152, section labeled "Indexing and storage methods"). Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of Schoning with the art of Manning as modified by Morgenstern and Maimone to produce the claimed invention.

25. Claims 43 - 44 and 47 - 49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manning (U.S. Patent Application Publication Number US 2002/0103829) in view of Official Notice, further in view of Maimone (U.S. Patent Number 6,418,451).

25.1. Regarding claim 43, Manning appears to teach:

25.1.1. a machine-readable medium comprising instructions that are executed by a machine (paragraphs [0021] and [0022]).

- 25.1.1.1. Regarding (paragraphs [0021] and [0022]); it would have been obvious that instructions cause a machine to execute because a computer was a machine, and computers execute instructions.
- 25.1.2. receiving persistent data having a model structure (figure 3, item 100 - 102; please note that a DTD is a Document Type Definition that provides attributes for each element in the document, and indicates the relationship of the elements - please refer to paragraph [0004]; and paragraph [0028]; please note that the DTD is included with the received document) from one of a plurality of different software components (paragraph [0004] first and second sentences; it would have been obvious that the multiple data types recited, such as vector graphics and e-commerce transactions, were produced by different software components, wherein a software component is interpreted to include an application), the software components having persistent data in different model structures (paragraph [0004] first and second sentences; it would have been obvious that persistent data from vector graphics is in a different model structure than e-commerce transactions), the persistent data relating to diverse types of objects (paragraph [0004]).
- 25.1.3. receiving metadata comprising at least in part a description of the model structure (figure 3, items 100 - 102; and paragraph [0028]), the metadata describing the persistent data (paragraph [0004]).
- 25.1.4. establish, using the metadata and without the using the software component from which the persistence package was received, during a runtime of the machine, a storage format for the persistent data (paragraph [0028]; paragraph [0041]; figure 3, elements 102 - 110; paraphrasing a definition of "format" from the IBM Dictionary of Computing, a "format" is a specified arrangement of fields, and it would have been obvious to the ordinary artisan that a storage format is established).

25.1.5. apply the established storage format to the persistent data to format the persistent data for storage (figure 3, element 124, since the accessed object is stored, it would have been obvious that the established storage format is applied; and paragraph [0029], since each object (e.g. attribute value or content) is stored in an element table, it would have been obvious that an established storage format is applied) from the format of the software component into a storage format that is compatible with the machine and with a storage device independent of the software component (paragraph [0022], paragraphs [0027] – [0029], and paragraph [0034]; it would have been obvious that the received data such as vector graphics and e-commerce transactions is being stored in a relational database, which is a storage format that is compatible with the receiving system and with a storage device independent of the software component).

25.1.6. Manning does not specifically teach:

- 25.1.6.1. receive persistent data having a model structure from one of a plurality of different software components that are foreign to the machine and the machine-readable medium;
- 25.1.6.2. the software components having persistent data in different model structures.
- 25.1.6.3. receive metadata comprising at least in part a description of the model structure, the metadata describing the persistent data and comprising, at least in part, a description of the format of the persistent data;
- 25.1.6.4. establish, using the metadata and without using the software component from which the persistence package was received, a storage format and a storage location for the persistent data;

25.1.7. Maimone appears to teach:

25.1.7.1. receive persistent data having a model structure from one of a plurality of different software components that are foreign to the machine and the machine-readable medium (figure 1, element 10; column 3, lines 5 - 20, and column 4, lines 24 - 45; it would have been obvious that the objects were in different formats that were foreign to the running system because as described in the specification (for example, figure 4), the running system is the persistent storage system, and the objects may not have a schema that stores the object, in which case, a schema is created).;

25.1.7.2. receive metadata comprising at least in part a description of the model structure, the metadata describing the persistent data and comprising, at least in part, a description of the format of the persistent data (figure 1, element 18, and column 3, lines 60 - 67, and column 4, lines 1 - 16; it would have been obvious that attribute type of element 18 was a description of persistent data).

25.1.7.3. establish, using the metadata and without using the software component from which the persistence package was received, a storage format and a storage location for the persistent data (column 4, lines 24 - 45; a schema describes a table, and a table is obviously a storage location for the persistent data).

25.1.8. Official Notice is taken that it was old and well known in the art that vector graphics was in a different format than data from e-commerce transactions, and therefore, the software components had persistent data in different model structures.

25.1.9. The motivation to use Official Notice with the art of Manning would have been the knowledge of the ordinary artisan that a relational database such as that used in Manning

would allow fast searching of large amounts of data, which the ordinary artisan would have recognized as a benefit that saves time and allows analysis of data.

25.1.10. Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of Maimone and the art of Official Notice with the art of Manning to produce the claimed invention.

25.2. Regarding claim 44, Manning appears to teach instructions (paragraphs [0021] and [0022]), that when executed, cause a machine to store the persistent data using the storage format (figure 3, item 124; and paragraph [0029]).

25.3. Regarding claim 47, Manning appears to teach instructions, that when executed cause a machine to retrieve the persistent data using the storage format (figure 4, all items; and paragraph [0030]).

25.4. Regarding claim 48, Manning appears to teach instructions, that when executed, cause a machine to select and/or create, based on the metadata, a transform to establish at least one of the storage format and the storage location (figure 3, items 102 - 110; and paragraph [0028], sentences 1 - 4).

25.5. Regarding claim 49, Manning appears to teach receiving persistent data compatible with one of any type of processor, any type of programming language, any type of operating system, and any type of architecture (paragraph [0021]).

Art Unit: 2123

26. Claims 45 and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manning as modified by Official Notice and Maimone as applied to claims 43 - 44 and 47 - 49 above, in view of XML ("Extensible Markup Language (XML) 1.0"; W3C Recommendation 10-Feb-98, 1998).
- 26.1. Manning as modified by Official Notice and Maimone teaches receiving persistent data having a model structure as recited in claims 43 - 44 and 47 - 49 above.
- 26.2. Claim 45 is a dependent claim of claim 43, and thereby inherits all of the rejected limitations of claim 43.
- 26.3. Claim 46 is a dependent claim of claim 45, and thereby inherits all of the rejected limitations of claim 45.
- 26.4. The art of Manning as modified by Official Notice and Maimone is directed toward a method, system, program, and data structures for managing structured XML documents in a database (Manning, Title and Abstract; and paragraph [0020] regarding the XML document).
- 26.5. The art of XML is directed toward describing the Extensible Markup Language (XML) (Abstract).
- 26.6. Regarding claim 45, Manning appears to teach receiving metadata (figure 3, item 100; and paragraph [0004] - please note that an XML document contains both persistent data and metadata).
- 26.7. Regarding claim 46, Manning appears to teach receiving a persistence package comprising persistent data and metadata (figure 3, item 100; and paragraph [0004] - please note that an XML document contains both persistent data and metadata), and to extract the persistent data

and the metadata from the persistence package (paragraphs [0028] and [0029]; and figure 3, all elements).

26.8. Regarding claim 45, Manning as modified by Official Notice and Maimone does not specifically teach receiving metadata conforming to a metadata template comprising rules for describing a data model structure of the persistent data.

26.9. Regarding claim 45, Manning appears to teach that the metadata received in claim 45 conforms to a metadata template comprising rules for describing a data model structure of the persistent data (page 2, section 2. Documents, first sentence; and page 3, section 2.1 Well-Formed XML Documents).

26.9.1. Regarding (page 2, section 2. Documents, first sentence; and page 3, section 2.1 Well-Formed XML Documents); the reference XML describes the rules that the metadata conforms to, and specifically the production in section 2.1 is a metadata template.

26.10. The art of XML and the art of Manning are analogous art because they both contain the art of interpreting XML documents.

26.11. The motivation to use the art of XML with the art of Manning as modified by Official Notice and Maimone would have been obvious given the need in Manning to interpret XML documents, and the rules given in XML to form valid XML documents.

26.12. Therefore, as discussed above, it would have been obvious to the ordinary artisan at the time of invention to use the art of XML with the art of Manning as modified by Official Notice and Maimone to produce the claimed inventions.

27. **Examiner's Note:** Examiner has cited particular columns and line numbers in the references applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings of the art and are applied to specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant in preparing responses, to fully consider the references in their entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the Examiner.

Conclusion


28. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).
29. A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

30. The prior art made of record and not relied upon is considered relevant to the Applicant's disclosure:

- 30.1. Barbara Staudt Lerner et al.; "Beyond Schema Evolution to Database Reorganization", 1990, Proceedings of the European conference on object-oriented programming on Object-oriented programming systems, languages, and applications OOPSLA/ECOOP '90, volume 25, issue 10, pages 67 - 76; teaches transforming classes in a database to affect the contents as little as possible (page 70, section 2.4).
- 30.2. L.M. Haas et al.; "Transforming Heterogeneous Data with Database Middleware: Beyond Integration", 1997, Bulletin of the IEEE Computer Society Technical Committee on Data Engineering, pages 1 - 6; teaches schema transformation.
- 30.3. Elke A. Rundensteiner et al; "Maintaining Data Warehouse over changing information sources", June 2000, Communications of the ACM, Volume 43, Number 6, pages 57 - 62; teaches evolving schemas in data warehouses.

31. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Russ Guill whose telephone number is 571-272-7955. The examiner can normally be reached on Monday - Friday 10:00 AM - 6:30 PM.
32. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Rodriguez can be reached on 571-272-3753. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Any inquiry of a general nature or relating to the status of this application should be directed to the TC2100 Group Receptionist: 571-272-2100.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


ZOILA CABRERA
PRIMARY EXAMINER
TECHNOLOGY CENTER 2100
5/10/07

RG

Russ Guill
Examiner
Art Unit 2123